



---

## GOLDSTAR STANDARD MARINE ENAMEL

---

Type:	Goldstar Standard Marine Enamel is superior quality protective finish based on alkyd resin.
Salient Features:	High gloss & excellent gloss retention. Good opacity and coverage Good flow and leveling giving superior finish. Good flexibility
Field of Application:	Can be used on ferrous, concrete wood and Plaster etc. On appropriate primers

### **Technical Information:**

Appearance:	Liquid
Gloss:	Good Gloss
Color / Shade available:	White / and as per customer request
Finish:	Smooth
Drying Time:	Surface dry 3 – 4 hrs, Tack free -7-8 hrs, hard dry overnight
% OF solid:	38±2%
Coverage:	10 – 14m <sup>2</sup> / liter / coat depending of surface
Specific gravity (g/cm <sup>3</sup> ):	1.02 +/-0.02%
Thinner:	Goldstar G.P Thinner
Flash Point:	Above 34°C
Surface Preparation:	Ensure that surface is clean, dry and free from all loose powder.
Packaging:	4ltr.
Storage:	Store in a cool & dry place.
Shelf Life:	1 year.
Health & Safety:	Refer our Material safety data sheet.
Precautions:	Keep the container closed after use. Do not intermix with other products.

---