



GOLD STAR SUPER HI – GLOSS ENAMEL

Type	: GOLDSTAR HI GLOSS ENAMEL is a superior quality protective finish based on a alkyd resin
Salient Features	: High Gloss & excellent gloss retention; Good flow and leveling giving a superior finish. Good opacity and coverage; Good flexibility.
Field of Application	: Can be used on wood, concrete, ferrous and, plaster etc on appropriate primers.

Technical Information:

Gloss	: Good Gloss
Finish	: Smooth
Colours/shades available	: White and as per shade card.
Drying Time	: Surface dry -3-4 hrs, Tack Free -7-8 hrs, Hard Dry-overnight
% of solids	: 38± 2%
Coverage	: 10 – 14m ² /litre/coat depending of surface
Flash point	: Above 34°C
Specific gravity	: 1.02 – 1.04
Thinner – for mixing & cleaning	: Gold Star G.P Thinner.
Surface Preparation – Routine	: Surface should be clean, dry and any loose powder should removed. Undercoat should be completely dry before applying top coat.
Induction Time	: 15 - 20 minutes after mixing base and hardener
Pot Life	: 6-8 hrs at 25°C- 30°C
Application	: By Roller, Spray, Brush
Packaging	: 4 LTS.
Storage	: Store in a cool & dry place
Shelf Life	: 1 year.
Health & Safety	: refer our Material Safety Data Sheet.
Precautions	: Keep the container closed after use. Do not intermix with other products

