

DATA SHEET GSWG06/09

1 PRODUCT	IDENTIFICATION AND COMPANY NAME	
Product Name Product Identif Supplier/Manu Address		
2 COMPOSI		
Resin Base Hazardous Coi	 Pure Acrylic Emulsion Pure Acrylic resin and small amounts of organic solvents-this product is not classed as hazardous but should carry the following S Phrases S2, S24/25 	
3 HAZARDS		
Physical/Chemical Hazards Human Health Hazards: This paint is NOT flammable : Respiration : May cause irritation. Eyes : May cause slight irritation. Ingestion : May cause gastro-intestinal irritation. Skin : In general no irritationEnvironmental Hazards: Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.		
4 FIRST AID	MEASURES	
General	: In all cases of doubt, or when symptoms persist, seek medical attention. Never	
Inhalation	give anything by mouth to an unconscious person. Move to a safe area with fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Give nothing by mouth. If unconscious, place in recovery position and seek medical advice.	
Eye Contact	: Rinse thoroughly with water for at least 10 minutes. Seek medical attention.	
Ingestion	: Do not induce vomiting. Keep person warm and at rest. Seek medical advice immediately and show the container or label.	
Skin Contact	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do not use solvents or thinners.	
5 FIRE-FIGH	TING MEASURES	

This paint is NOT flammable but the dry residue is combustible Expect no direct explosion hazard Use CO2, dry powder or foam

6 ACCIDENTAL RELEASE MEASURES		
Personal Precautions	: Ventilate the area. Avoid breathing in vapours. Remove all sources of ignition e.g. flames, sparks, static electricity and heat.	
Spill	: Contain and collect spillage with absorbent material. Dispose of according to local regulations. Do not allow spillage to enter sewerage drains or watercourses.	



7 HANDLING AND STORAGE			
Storage : Store in origin ventilated are Keep away fro No smoking.	er tightly closed. Eating, drinking and smoking should be area where this material is handled, stored and processed. After material, workers should wash hands and face before eating, smoking. Always comply with health and safety regulations. hal container. Observe label precautions. Store in a cool, well- ea away from incompatible materials and ignition sources. om oxidizing agents, strong alkaline and acids. Containers which have been opened must be carefully resealed ght to prevent leakage.		
8 EXPOSURE CONTROL/PERS	SONAL PROTECTION		
Engineering Measures Personal Protective Equipment	 Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn. 		
Respiration	: Should ventilation be inadequate or if workers are exposed to concentrations above the exposure limit, appropriate certified		
Eyes	respirators must be used. : Use safety eyewear designed to protect against splash of liquids. Never tough even with dirty hands or glaves		
Ingestion	Never tough eyes with dirty hands or gloves. Observe the rules of hygiene. Wash hands and face before eating, drinking or smoking.		
Skin Environmental Exposure Control	Use protective gloves. Wash in case of contact.Do not allow product to enter sewerage drains or watercourses.		
9 PHYSICAL AND CHEMICAL PROPERTIES			
	ruperies		
Appearance : Sto	ne Thick Liquid tflammable		
Appearance: StoFlash Point (°C): Not	ne Thick Liquid t flammable iter		
Appearance: StoFlash Point (°C): NotDilution/Wash up: Wa10STABLILTY AND REACTIVITStability: SConditions to Avoid: E	ne Thick Liquid t flammable iter		
Appearance: StoFlash Point (°C): NotDilution/Wash up: Wa10STABLILTY AND REACTIVITStability: SConditions to Avoid: E	ane Thick Liquid t flammable ater Y Stable under recommended storage and handling conditions. Excessive heat – store below 30 degrees Celsius Exclusion agents, strong alkaline or acidic materials.		
Appearance: StoFlash Point (°C): NotDilution/Wash up: Wa10STABLILTY AND REACTIVITStability: SConditions to Avoid: EMaterials to Avoid: E11TOXICOLOGICAL INFORMAT•Frequent and prolonged skin contact•Prolonged inhalation of vapours in I	ane Thick Liquid t flammable ater Y Stable under recommended storage and handling conditions. Excessive heat – store below 30 degrees Celsius Exclusion agents, strong alkaline or acidic materials.		
Appearance: StoFlash Point (°C): NotDilution/Wash up: Wa10STABLILTY AND REACTIVITStability: SConditions to Avoid: EMaterials to Avoid: E11TOXICOLOGICAL INFORMAT•Frequent and prolonged skin contact•Prolonged inhalation of vapours in I	ne Thick Liquid t flammable iter Y stable under recommended storage and handling conditions. Excessive heat – store below 30 degrees Celsius Dxidizing agents, strong alkaline or acidic materials. TION ct may cause irritation and skin inflammation. high concentrations may lead to headache, giddiness and nausea. irritation of the skin/mucous membranes.		
Appearance: StoFlash Point (°C): NotDilution/Wash up: Wa10STABLILTY AND REACTIVITStability: SConditions to Avoid: EMaterials to Avoid: C11TOXICOLOGICAL INFORMAT•Frequent and prolonged skin contact•Prolonged inhalation of vapours in I•In case of contact with the product,12ECOLOGICAL INFORMATION•There is no data available on the product	Ine Thick Liquid t flammable iter y table under recommended storage and handling conditions. Excessive heat – store below 30 degrees Celsius oxidizing agents, strong alkaline or acidic materials. TION ct may cause irritation and skin inflammation. high concentrations may lead to headache, giddiness and nausea. irritation of the skin/mucous membranes.		
Appearance: StoFlash Point (°C): NotDilution/Wash up: Wa10STABLILTY AND REACTIVITStability: SConditions to Avoid: EMaterials to Avoid: C11TOXICOLOGICAL INFORMAT•Frequent and prolonged skin contact•Prolonged inhalation of vapours in I•In case of contact with the product,12ECOLOGICAL INFORMATION•There is no data available on the product	Ine Thick Liquid t flammable iter v stable under recommended storage and handling conditions. Excessive heat – store below 30 degrees Celsius Dividizing agents, strong alkaline or acidic materials. FION ct may cause irritation and skin inflammation. high concentrations may lead to headache, giddiness and nausea. irritation of the skin/mucous membranes. N reparation itself. tant. Do not allow to enter drains or watercourses.		
Appearance: StoFlash Point (°C): NotDilution/Wash up: Wa10STABLILTY AND REACTIVITStability: SConditions to Avoid: EMaterials to Avoid: C11TOXICOLOGICAL INFORMAT•Frequent and prolonged skin contate•Prolonged inhalation of vapours in I•In case of contact with the product,12ECOLOGICAL INFORMATION•There is no data available on the pr•Product is considered a water pollu	Ine Thick Liquid tflammable iter Table under recommended storage and handling conditions. Excessive heat – store below 30 degrees Celsius oxidizing agents, strong alkaline or acidic materials. TION Ct may cause irritation and skin inflammation. high concentrations may lead to headache, giddiness and nausea. irritation of the skin/mucous membranes. N reparation itself. itant. Do not allow to enter drains or watercourses.		

Not classified as dangerous for transport.



15 REGULATORY INFORMATION

Classification: Not classified as hazardous

S2:	Keep out of reach of Children
S24/25:	Avoid contact with eyes and skin

16 OTHER INFORMATION

Date of Printing Date if Issue Version Notice	 November 2016 November 2016 1 The information in this MSDS is based on the present state of our knowledge and on current national laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps in order to fulfill the demand laid down in the local rules and legislation. The information in this MSDS is meant as a description of the safety requirements of our product – it is not to be considered as a guarantee of the product's properties.