

SAFETY DATA SHEET

DATA SHEET NO. PR 001/09

1 PRODUCT IDENTIF	ICATION AND COMPANY NAME		
Product Name Product Identification Supplier/Manufacturer Address	 Gold Star Red Oxide Primer Air drying Alkyd Primer Gold Star Paints 106 Mwakalinga Street Chang'ombe Dar Es Salaam Tanzania 	Contact : Rajesh Wagh Tel : 255-22-286167 Fax : 255-22-286300	
2 COMPOSITION/INF	ORMATION ON INGREDIENTS		
Resin Base Hazardous Components Mineral Turpentine	: Alkyd resin : Hydrocarbon solvent ble <10% CAS No 64742-88-7	end containing EC No 649-405-00-X	
R Phrases S Phrases Classification	R10, 20/21/65 S2. 13, 43, 62 Harmful, Xn	SAPMA Health Rating 2-Moderate, Tempora or minor injury possib even if treatment give	ary ole
3 HAZARDS IDENTIF Physical/Chemical Hazards Human Health Hazards	ards : This paint is FLAMMABLE : Respiration : May cau loss of c Eyes : May cau Ingestion : May cau nausea Skin : May cau irritant a effect. : Toxic to aquatic organism	use irritation, dizziness, nausea and consciousness. use moderate irritation. use gastro-intestinal irritation, dizzin and loss of consciousness. use sensitization. May also be a skin and repeated contact may increase the s. May cause short-term adverse efforts.	iess, n this
	in the aquatic environmen	π.	
Inhalation breat respi	Scases of doubt, or when symptoms anything by mouth to an unconsciou to a safe area with fresh air. Keep	person warm and at rest. If not spiratory arrest occurs, provide artif n. Give nothing by mouth. If	
Eye Contact: RinseIngestion: Do no immeSkin Contact: Remo	e thoroughly with potable water for a ot induce vomiting. Keep person was ediately and show this Safety Data S	at least 10 minutes. arm and at rest. Seek medical advice Sheet to the medical officer. es. Wash skin thoroughly with soap	
5 FIRE-FIGHTING ME	ASURES		
Extinguishing Media	: Use foam, CO2, dry powders an pressure water jet.	nd water mist. Do NOT use a high	



SAFETY DATA SHEET

DATA SHEET NO. PR 001/09

Recommendations	: Decomposed products are a health hazard. Use appropriate breathing apparatus. Cool closed containers exposed to fire with water to prevent ignition.
6 ACCIDENTAL R	ELEASE MEASURES
Personal Precaution Spill	 Ventilate the area. Avoid breathing in vapours. Remove all sources of ignition e.g. flames, sparks, static electricity and heat. Contain and collect spillage with absorbent material. Dispose of according to local regulations. Do not allow spillage to enter sewerage drains or watercourses.
7 HANDLING AND	D STORAGE
Handling : Storage :	Keep container tightly closed. Keep away from heat, sparks and flame. Eating, drinking and smoking should be prohibited in area where this material is handled, stored and processed. After handling the material, workers should wash hands and face before eating, drinking and smoking. Always comply with health and safety regulations. Store in original container. Observe label precautions. Store in a cool, well- ventilated area away from incompatible materials and ignition sources. Keep away from oxidizing agents, strong alkaline and acids. No smoking. Containers which have been opened must be carefully resealed and kept upright to prevent leakage.
8 EXPOSURE CO	NTROL/PERSONAL PROTECTION
Engineering Measur Personal Protective Respiration Eyes Ingestion Skin Environmental Expo	 this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn. Equipment : Should ventilation be inadequate or if workers are exposed to concentrations above the exposure limit, appropriate certified respirators must be used. Use safety eyewear designed to protect against splash of liquids. Never tough eyes with dirty hands or gloves. Observe the rules of hygiene. Wash hands and face before eating, drinking or smoking. Use protective gloves. Wash immediately in case of contact. Do not allow product to enter sewerage drains or watercourses.
9 PHYSICAL AND	CHEMICAL PROPERTIES
Appearance Solid Matter by Cont Flash Point (ºC) Solubility Viscosity	: Liquid tent : By Volume : 55-65% By Mass : 35-40% : Above 37 ℃ : Hydrocarbon solvents : 65-85 KU
10 STABLILTY AN	DREACTIVITY
Stability Conditions to Avoid Materials to Avoid	 Stable under recommended storage and handling conditions. Ignition sources, flames, sparks, static and heat. Oxidizing agents, strong alkaline or acidic materials.



SAFETY DATA SHEET

DATA SHEET NO. PR 001/09

water jets

11 TOXICOLOGICAL INFORMATION

- Frequent and prolonged skin contact may cause irritation and skin inflammation.
- Prolonged inhalation of vapours in high concentrations may lead to headache, giddiness and nausea.
- In case of contact with the product, danger of absorption through the skin, irritation of the skin/mucous membranes.

12 ECOLOGICAL INFORMATION

- There is no data available on the preparation itself.
- Product is considered a water pollutant. Do not allow to enter drains or watercourses.

13 DISPOSAL CONSIDERATIONS

- Do not allow to enter drains or watercourses.
- Dispose according to state and local applicable regulations.
- Empty containers are suitable for recycling.

14 TRANSPORT INFORMATION

Not classified as dangerous for transport.

15 REGULATORY INFORMATION

Classification: Harmful, Xn

R10	Flammable
R20/21	Harmful by inhalation and contact with the skin
R65	Harmful- may cause lung damage if swallowed
S2:	Keep out of reach of Children
S13	Keep away from food, drink and animal feed stuffs
S43	In case of fire, use water, fog, foam or powder-do not use water
S62	If swallowed, do not induce vomiting but seek medical advice
	Immediately

16 OTHER INFORMATION

Date of Printing
Date if Issue
Version
Notice

March 2008 March 2008

2

 \geq

5

The information in this MSDS is based on the present state of our knowledge and on current national laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps in order to fulfill the demand laid down in the local rules and legislation. The information in this MSDS is meant as a description of the safety requirements of our product – it is not to be considered as a guarantee of the product's properties.