

SAFETY DATA SHEET

DATA SHEET GSWG06/09

		DATA SHEET GSWG06/09
1 PRODUCT II	DENTIFICATION AND COMPANY NAME	
Product Name Product Identific Supplier/Manufae Address		Primer : Rajesh Wagh : 255-22-2861677 : 255-22-2863005
2 COMPOSITI	ON/INFORMATION ON INGREDIENTS	
Resin Base Hazardous Comp	 Styrene Acrylic resin emulsion Styrene Acrylic resin and small amounts of product is not classed as hazardous but sh S Phrases S2, S24/25 	
3 HAZARDS II	DENTIFICATION	
Physical/Chemic Human Health Ha Environmental H	azards : Respiration : May cause irritation. Eyes : May cause slight irritation Ingestion : May cause gastro-intes Skin : In general no irritation	tinal irritation.
4 FIRST AID M		
General : Inhalation :	 In all cases of doubt, or when symptoms persist, seek m give anything by mouth to an unconscious person. Move to a safe area with fresh air. Keep person warm ar breathing, if breathing is irregular or if respiratory arrest respiration or oxygen by trained personnel. Give nothing 	nd at rest. If not occurs, provide artificial) by mouth. If
Eye Contact : Ingestion : Skin Contact :	 unconscious, place in recovery position and seek medic. Rinse thoroughly with water for at least 10 minutes. See Do not induce vomiting. Keep person warm and at rest. immediately and show the container or label. Remove contaminated clothing and shoes. Wash skin th water or use a recognized skin cleanser. Do not use solv 	k medical attention. Seek medical advice horoughly with soap and
5 FIRE-FIGHTI	ING MEASURES	

This paint is NOT flammable but the dry residue is combustible Expect no direct explosion hazard Use CO2, dry powder or foam

6 ACCIDENTAL REL	EASE MEASURES
Personal Precautions	: Ventilate the area. Avoid breathing in vapours. Remove all sources of ignition e.g. flames, sparks, static electricity and heat.
Spill	: Contain and collect spillage with absorbent material. Dispose of according to local regulations. Do not allow spillage to enter sewerage drains or watercourses.

7 HANDLING AND STORAGE

Handling

Iling : Keep container tightly closed. Eating, drinking and smoking should be prohibited in area where this material is handled, stored and processed. After



SAFETY DATA SHEET

DATA SHEET GSWG06/09

Storage :	handling the material, workers should wash hands and face before eating, drinking and smoking. Always comply with health and safety regulations. Store in original container. Observe label precautions. Store in a cool, well- ventilated area away from incompatible materials and ignition sources. Keep away from oxidizing agents, strong alkaline and acids. No smoking. Containers which have been opened must be carefully resealed and kept upright to prevent leakage.
	and kept upright to prevent leakage.

8 EXPOSURE CONTROL/PERSONAL PROTECTION

6 EAPUSURE CONTROL/PERS	SUNAL PROTECTION			
Engineering Measures	: Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.			
Personal Protective Equipment	:			
Respiration	: Should ventilation be inadequate or if workers are exposed to concentrations above the exposure limit, appropriate certified respirators must be used.			
Eyes	: Use safety eyewear designed to protect against splash of liquids.			
Ingestion	Never tough eyes with dirty hands or gloves. Observe the rules of hygiene. Wash hands and face before eating, drinking or smoking.			
Skin	: Use protective gloves. Wash in case of contact.			
Environmental Exposure Control	: Do not allow product to enter sewerage drains or watercourses.			
9 PHYSICAL AND CHEMICAL PROPERTIES				
Flash Point (°C) : No	uid t flammable ater			
10 STABLILTY AND REACTIVITY				
Conditions to Avoid : E	Stable under recommended storage and handling conditions. Excessive heat – store below 30 degrees Celsius Dxidizing agents, strong alkaline or acidic materials.			
11 TOXICOLOGICAL INFORMAT	FION			
Prolonged inhalation of vapours in	ct may cause irritation and skin inflammation. high concentrations may lead to headache, giddiness and nausea. irritation of the skin/mucous membranes.			
12 ECOLOGICAL INFORMATION	1			

Product is considered a water pollutant. Do not allow to enter drains or watercourses.

13 DISPOSAL CONSIDERATIONS

- Do not allow to enter drains or watercourses.
- Dispose according to state and local applicable regulations.
- Empty containers are suitable for recycling.

14 TRANSPORT INFORMATION

Not classified as dangerous for transport.

15 REGULATORY INFORMATION

Classification: Not classified as hazardous

S2: Keep out of reach of Children



SAFETY DATA SHEET

DATA SHEET GSWG06/09

S24/25: Avoid contact with eyes and skin

2

: S : 1

16 OTHER INFORMATION

Date of Printing		
Date if Issue		
Version		
Notice		

September 2014 September 2014

: The information in this MSDS is based on the present state of our knowledge and on current national laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps in order to fulfill the demand laid down in the local rules and legislation. The information in this MSDS is meant as a description of the safety requirements of our product – it is not to be considered as a guarantee of the product's properties.