

Rangi inayodumu zaidi

Product Catalog ver 3.0



Computerised Colour Dispensing

Goldstar understands that time can be a constraint – once a decision is made and hence Goldstar has come with a Computerised Colour Dispensing system that can offer you your desired shade in less than 20 min. You have a wide range of choice of around 1000+ shades to choose from, anything more than this will be confusing. Though these shades are made so soon, but they last very long and offers excellent light fastness property that not many can match in the country. These are available in Wash n Wear and Weather Guard product ranges. Recently GoldStar has included its Home Guard range – which is premium paints at affordable price in this service.





Wall Finish

DESCRIPTION



Goldstar Wash n Wear Silk is a luxurious emulsion wall finish suitable for both exterior and interior use. It gives a superb silk sheen finish that is tough and easily washable. Goldstar wash n wear silk is extremely easy to apply. Goldstar wash n wear silk is recommended for use in high traffic area or where an easily washable coating or soft sheen finish is desired. It does not allow fungal growth.



Goldstar Weatherguard Acrylic Emulsion is a hard wearing long lasting pure acrylic emulsion paint, specially formulated for exterior use. It can also be used in coastal areas. It is extremely easy to apply. It is quick drying, has low odour and does not allow fungal growths. Goldstar Weatherguard acrylic emulsion can be used on a variety of surfaces including cement plaster, conrete, gypsum plaster, brick, stone soft and hard board, as well as on wood. Use appropriate primer.



Goldstar Aqua Gold is water based high quality coating designed for exterior walls exposure to rain and weather. It is formulated with special latex based on silicon polymers for hydrophobicity in combination with acrylic co-polymer which gives excellent water repellency, adhesion and long term durability. The film gets cross linked on curing which gives excellent beading effect along with high water vapor permeability. The film is also having excellent anti-algal, anti-fungal & self-cleaning properties to remain beauty of paint film for long run. Although it's made for exterior wall finishes, It can also be used on interior various types of dry surfaces like plaster, concrete building board, bricks, cement, and stone for smooth finishes.



Goldstar Home Guard Interior/Exterior is a hardwearing, durable emulsion point specially formulated for exterior use. It is extremely easy to apply. It is quick drying, has low adour and does not allow fungal growths. Goldstar Home Guard Exterior can be used on a variety of surfaces including cement plaster. concrete gypsum plaster brick stone soft and board as well as on wood. Use appropriate primer. It can also be used on interior plasters where matt finish is required.



Goldstar Roof guard Acrylic is high quality emulsion based roof paint. It gives a superb silk sheen finish that is tough and easily washable. It can also be used on asbestos sheets, galvanised sheets, gutters, claddings, garden pots etc. Goldstar Roofguard Acrylic paint is extremely easy to apply. It is quick drying & has excellent weatherability. To be used with appropriate primer.



Wall Finish - Texture Finish

DESCRIPTION



Goldstar DuraPlast is tough, thick durable emulsion paint specified for light texturing and suitable for both interior and exterior use. Goldstar DuraPlast exhibits excellent opacity and is very hard wearing. It is used to conceal unevenness in concrete wall, by providing on even, lightly textured finish. Goldstar DuraPlast can be applied on many surfaces including cement gypsum plaster concete wood soft board and on hard board. Use appropriate primer.



Goldstar DuraStone is water base stone texture finish for interior and exterior use. It gives stone finish with attractive coloured stones. It is easy to apply by metal trowel. Goldstar Durastone gives good water resistance and best adhesion. The coating is hard and tough. No skimming required.



Goldstar Durastucco is an Acrylic copolymer emulsion based texture coating. It is specially engineered to provide specific texture designs for wall, wood and metal surfaces after a specific primer application,. Goldstar Durastucco gives uniquely beautiful engraved structure. It also is a high–solids coating, with excellent flexibility and helps to bridge between fine cracks & better adhesion



Goldstar Duratough is a water-based aggregate texture coating that is suitable for both interior and exterior application. Goldstar Duratough is made with a selection of fine and coarse aggregates, build by a tough but flexible acrylic resin. This combination yields attractive granular texture surfaces with excellent adhesion and hardness. It is ant-fungal, does not flake and gives long lasting various texture patterns. Goldstar Duratough may be applied on many types of surfaces including concrete plaster and wooden surfaces. Use appropriate primer.



Wall Finish - Texture Finish

DESCRIPTION



Goldstar Durasand is water based Sand texture finish suitable for interior & exterior use. Goldstar Durasand is made with a tough & flexible acrylic resin and yields high-build films with excellent exterior weather resistance. It is anti-fungal and does not flake. Goldstar Durasand may be applied on concrete plaster, metal and on wooden surfaces. In each case a suitable primer must be applied.



Goldstar Duradesign is water based system specially formulated for various designers' patterns. It is two pack coating system, based on acrylic co-polymer which gives flexibility and long term durability. It has its own beauty of high sheen & excellent levelling on surfaces. Goldstar DuraDesign can be used on both interior & exterior surfaces.

Surface Preparation Items

DESCRIPTION



Goldstar Star Binder is an emulsion based wall sealer used to seal porous and chalky surfaces such as those of old weathered emulsion paint surfaces, as well as skimmed surfaces. It may also be used on other porous surfaces such as rough cast plaster. Goldstar Star Binder is very easy to apply, either by roller or brush, and is suitable for both interior and exterior use.



Goldstar Stucco Putty Exterior is a water based multipurpose paste filler used for repair of small defects such as shrink holes, cracks and dents on masonry surfaces. It is also used for smoothening uneven surfaces. Goldstar Stucco Putty Exterior is formulated specially for exterior use. It can be applied on many surfaces including cement/gypsum plaster, concrete, wood, MDF and hard boards. It is easy to sand and is especially used to conceal unevenness in concrete wall by providing on even smooth finish.



Surface Preparation Items

DESCRIPTION



Goldstar Stucco Putty Interior is a special eco-friendly product based on an acrylic co-polymer Latex, ready to use with the best skimming properties for interior wall/ gypsum board surfaces. It has a better adhesion, fast drying, excellent whiteness, easy to apply with minimal dust accumulation while sanding. It has excellent sand-ability without any marks visible on drying. Stucco putty Interior can be used on various types of interior dry surfaces like plaster, Concrete, building board, bricks, cement, and stone for smooth finishes.



Goldstar Acrylic primer-sealer is superior quality wall primer suitable for interior use. It is recommended for use on new masonry surfaces as well as skimmed surfaces. It may also be applied to a variety of other surfaces including old cement plaster and concrete as well as on soft board, fibre board and wood.



Goldstar Alkali Resisting primer is a water-based primer recommended for use on alkaline surfaces such as newly plastered walls. It is suitable for both interior and exterior use. It may also be applied to other surfaces including concrete.



Goldstar Hi-Build Damp Sealer is the quick and effective way to paint over damp interior and exterior walls which forms protective & barrier coat between paint film substrate to avoid saponification. This provides a sound foundation for long lasting paint work. It has a matt white finish that can be over coated with most conventional paints. It can also be used on new plaster, concretes, asbestos or any other wall. It should be applied directly on to the surface.





Surface Preparation Items

DESCRIPTION



Goldstar Gypsum Board Primer is high quality primer, formulated for use on gypsum boards. It is matt finish with excellent hardness and gives good intercoat adhesion on gypsum boards. Gypsum board primer can also be used on timber works before painting compatible finishing coats eg Hi-Gloss Enamel, Weather Guard, Wash n Wear etc



Goldstar Bituminous Paint is a general-purpose bituminous coating for use where a low cost waterproofing coating is required. It may be applied directly onto foundation of buildings, underground pipes etc



Goldstar Algae Kill is a High quality biocide developed for complete microbiological protection of masonary surfaces. This is suitable for all masonary surfaces to kill Algae and fungus growth and prevent further growth.



Goldstar Rust Convertor is a liquid chemical blend used for treatment of rusted metal surfaces. When applied on rusty surfaces, it converts the surface into a passive coating which enables one to apply subsequent protective and decorative coatings.





Surface Preparation Items

DESCRIPTION



Goldstar Budget Emulsion is an acrylic co-polymer based paint which is specifically formulated for skimming. Goldstar Budget Emulsion mixes well with gypsum powder as well as white cement. These mixtures give a sufficiently long pot life and easy workability.



Goldstar Etch Primer is a two-component acid curing zinc chromate primer specially formulated for use on galvanized iron, stainless steel, aluminum, copper and other light alloys such as brass. It can also be used on ferrous material where a tough coating is required. Goldstar etch primer is quick drying and show excellent adhesion and anti-corrosion properties.

Wood Finishes

DESCRIPTION



Goldstar Turbobright is a two component acid-curing lacquer specially formulated for the decoration and protection of wood. Goldstar turbobright is fast-drying and gives very tough and durable finishes which are resistant to both industrial and household chemicals. It is recommended for interior use.



Goldstar Eggshell Enamel is a high quality alkyd based paint that yields a semi gloss finish. It has good flow,levelling and build,resulting in a uniform and pleasant eggshell appearance. Coldstar Eggshell may be used on many different surfaces such as on wood, plaster or metal. An appropriate primer should be used in each case.





Wood Finishes

DESCRIPTION



Goldseal Woodstain is high quality water based transparent stains for wood surfaces. It is eco-friendly, fast drying, easy to apply, excellent flow & Leveling and best U.V resisting property. Goldseal Woodstain is made to use on all types of wood such as doors, windows & Wooden frames without any primer coat. It has excellent exterior weatherability and hence made for exterior wood surfaces.



Goldstar Sanding Sealer is a nitrocellulose-based wood sealer that exhibits very fast drying. It effectively seals all pores on wood leaving matt finish, which provides excellent smooth surface for top coat applications.



Goldstar Industrial Polyurethane Coating is a two pack acrylic coating with U.V protection. It cures to hard film with good adhesion and abrasion resistance, good resistance to wide range of chemicals good resistance to water. Goldstar Industrial Polyurethane Coating can be used on doors, furniture, windows, wood, Concrete, plaster, ferrous metals, galvanized iron, aluminum etc. on appropriate primer.



Goldstar Timbapreservative (Timbatex) is an oil-based wood preservation, specially formulated for use on wooden furniture and panelling. It easily penetrates the wood to produce a beautiful satin finish, whilst emphasizing the wood grain pattern and giving good waterproofing qualities. It is specified surfaces where a durable waterproof finish is required, such as fascia boards, barge board, doors and windows.





Special Products

DESCRIPTION



Goldstar Hi-chem enamel is a two-component epoxy based polyamide cured product, that gives films of high gloss and exceptionally good adhesion, hard and chemical resistance. Goldstar Hichem enamel may be applied on metal, concrete, stone or wood and is recommended for bridges, storage tanks, ships, pipelines and machinery. It may also be used on floors in high traffic areas. Use appropriate primer for each surface.



Epoxy Hardener is a curing agent for Hi Build Epoxy Primer or Industrial Epoxy Enamel. It cures once it mixes with Goldstar Hi-Built Epoxy Primer or Industrial Epoxy Enamel to get very hard film with good resistance to wide range of chemicals and water.



Goldstar Hi-Build Epoxy Primer is a two component epoxy-based, polyamide cured metal priming product. It is a high-solids primer that has very good filling properties and good adhesion to metal surfaces. Goldstar Hi-Build Epoxy Primer may be applied on bare metal surfaces wherever good adhesion and corrosion protection is required. Goldstar Hi-Build Epoxy Primer is recommended for use on bridges, storage tanks, ships, pipelines, and industrial machinery; it may also be used as an auto-refinishing primer. Goldstar Hi-Build Epoxy Primer may be over-coated with a variety of topcoats including 2K Polyurethanes as well as 2K Epoxy topcoats.



Goldstar Road Marking Paint is based on thermosplastic acrylic used for marking all types of new and previously marked bituminous and concrete road surfaces. It is quick drying and has good night visibility. More visibility is experienced when applied with glass beads addition at the top.



Goldstar Hi Build Epoxy Concrete Primer is a two pack system for best priming properties for concrete surfaces. It cures to very hard film with better inter-coat adhesion for substrate and top coat. It also gives very good resistance to wide range of chemicals & water.



DESCRIPTION

Special Products

DESCRIPTION





Goldstar Hardturf Court Paint is a high build water based sports court paint. It exhibits very good opacity and has excellent water resistance. Goldstar Hardturf Court Paint also exhibits good antifungal resistance. Goldstar Hardturf Court Paint is easy to apply and exhibits good flow and levelling. It can be applied on all sports court such as Tennis courts, Badmiton courts, Basket ball and squash courts, volleyball, netball etc

Goldstar GS Bond is based on synthetic rubber emulsion technology made for addition into cement mortar and or concrete where good adhesion and water resistance is required. "GS BOND" is an admixture chemical compound used to achieve high strength, chemical resistance, increase abrasion resistance, extremely good adhesion, reduced shrinkage, greater flexibility and water proofing properties. It may take long time for drying in high humidity. Not to be applied in rainy days. It can be mixed with layer patching mortars, Renders, Floor screeds, Concrete repair mortars, abrasion resistant lining, Tile fixing mortars, Masonry mortars, etc..

Adhesive

DESCRIPTION



Goldstar Wood Glue is superior adhesive for wood & paper industry. It is based on polyvinyl acetate as homo-polymer which gives excellent adhesion, flexibility & is easy to use.

Standard Items

DESCRIPTION



Goldstar Hi-Cover Emulsion is a styrene acrylic based paint for use on wall surfaces including cement, concrete, brick, hard and soft boards, as well as new and previously painted walls. Goldstar Hi-Cover Emulsion also mixes well with gypsum powder hence can be used for mixing during skimming.



Standard Items

DESCRIPTION



Goldstar Hi-Gloss Enamel is a high quality alkyd based economy paint ideal for interior and exterior use. It can be used on a wide variety of surfaces including wood,metal,plaster,brick and stone. Use appropriate primer on each surface.



Goldstar Duramatt Enamel is a high quality alkyd based paint, that gives a matt finish. It has an excellent flow, levelling and build, which gives a uniform and pleasant matt appearance. Use appropriate primer on each surface.



Goldstar Red Oxide Primer is an alkyd-bases metal primer suitable for use on mild steel and iron.Goldstar Red Oxide Primer provides an effective protective seal against the effects of rust. It also strengthens the adhesion of subsequent top coats.



Goldstar Sparkling Aluminium Paint is formulated using special resin & aluminum pigment. It reflects sunglight and heat off surfaces, withstands temperatures upto 100C and has good luster. It can be used indoors and outdoors on iron, steel and other metals after an appropriate primer. In certain cases, it can also be used for sealing against penetration. e.g. on asphalted surfaces.



Goldstar varnish clear is a high quality synthetic clear varnish for protection of stained or unstained wood. It is suitable for interior wooden surfaces.