

1

# **SAFETY DATA SHEET**

### DATA SHEET NO. ACH 001/25

# PRODUCT IDENTIFICATION AND COMPANY NAME

Product Name Product Identification	Goldstar Acrythane Hardener Aliphatic Polyisocyanate resin blend with hydrocarbon solvent for 2K Polyurethane paints coating			
Supplier/Manufacturer Address	Gold Star Paints 106 Mwakalinga Street Chang'ombe Dar Es Salaam Tanzania	Contact Tel Fax	:	Rajesh Wagh 255-22-2861677 255-22-2863005

## 2 COMPOSITION/INFORMATION ON INGREDIENTS

Resin : Hazardous Components : Mineral Turpentine <10%	Aliphatic Polyisocynate Hydrocarbon and Ester solvent blend containing CAS No 64742-88-7 EC No 649-405-00-X					
R Phrases S Phrases Classification	R10, 20/21/65 S2. 13, 43, 62 Harmful, Xn SAPMA Health Rating = 2-Moderate, Temporary or minor injury possible even if treatment given					
3 HAZARDS IDENTIFICATION						
Human Health Hazards : /	<ul> <li>This paint is FLAMMABLE-see above symbols</li> <li>Respiration : May cause irritation, dizziness, nausea and loss of consciousness.</li> <li>Eyes : May cause moderate irritation.</li> <li>Ingestion : May cause gastro-intestinal irritation, dizziness, nausea and loss of consciousness.</li> <li>Skin : May cause sensitization. May also be a skin irritant and repeated contact may increase this effect.</li> <li>Foxic to aquatic organisms. May cause short-term adverse effects n the aquatic environment.</li> </ul>					
4 FIRST AID MEASURES						
<ul> <li>General : In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.</li> <li>Inhalation : Move to a safe area with fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by a trained person. Give nothing by mouth. If unconscious, place in recovery position and seek medical advice.</li> </ul>						
Ingestion: Do not induce immediately arSkin Contact: Remove conta	<ul> <li>Rinse thoroughly with potable water for at least 10 minutes.</li> <li>Do not induce vomiting. Keep person warm and at rest. Seek medical advice immediately and show this Safety Data Sheet to the medical officer.</li> <li>Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do not use solvents or thinners.</li> </ul>					
5 FIRE-FIGHTING MEASURES						

Extinguishing Media : Use foam, CO2, dry powders and water mist. Do NOT use a high



# **SAFETY DATA SHEET**

<ul> <li>Recommendations</li> <li>pressure water jet.</li> <li>Decomposed products are a health hazard. Use appropriate breathing apparatus. Cool closed containers exposed to fire with water to prevent ignition.</li> </ul>
6 ACCIDENTAL RELEASE MEASURES
<ul> <li>Personal Precautions : Ventilate the area. Avoid breathing in vapours. Remove all sources of ignition e.g. flames, sparks, static electricity and heat.</li> <li>Spill : Contain and collect spillage with absorbent material. Dispose of according to local regulations. Do not allow spillage to enter sewerage drains or watercourses.</li> </ul>
7 HANDLING AND STORAGE
<ul> <li>Handling         <ul> <li>Keep container tightly closed. Keep away from heat, sparks and flame. Eating, drinking and smoking should be prohibited in area where this material is handled, stored and processed. After handling the material, workers should wash hands and face before eating, drinking and smoking. Always comply with health and safety regulations.</li> </ul> </li> <li>Storage         <ul> <li>Store in original container. Observe label precautions. Store in a cool, well-ventilated area away from incompatible materials and ignition sources. Keep away from oxidizing agents, strong alkaline and acids. No smoking. Containers which have been opened must be carefully resealed and kept upright to prevent leakage.</li> </ul> </li> </ul>
8 EXPOSURE CONTROL/PERSONAL PROTECTION
Engineering Measures: Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.Personal Protective Equipment Respiration:Eyes:Ligestion:Skin:Skin:Use safety eyewear designed to protect against splash of liquids. Never tough eyes with dirty hands or gloves.Skin:Use protective gloves. Wash immediately in case of contact.Do not allow product to enter sewerage drains or watercourses.
9 PHYSICAL AND CHEMICAL PROPERTIES
Appearance       : Liquid         Solid Matter by Content       : By Volume       : NIL       By Mass       : NIL         Flash Point (°C)       : Above 24 °C       : Solvent       : Solvent       : 22 seconds/FC4         10       STABLILTY AND REACTIVITY       : Solvent       : Solvent       : Solvent
10       STABLILTY AND REACTIVITY         Stability       :       Stable under recommended storage and handling conditions.         Conditions to Avoid       :       Ignition sources, flames, sparks, static and heat.         Materials to Avoid       :       Oxidizing agents, strong alkaline or acidic materials.



# **SAFETY DATA SHEET**

### DATA SHEET NO. ACH 001/25

#### **11 TOXICOLOGICAL INFORMATION**

- Frequent and prolonged skin contact may cause irritation and skin inflammation.
- Prolonged inhalation of vapours in high concentrations may lead to headache, giddiness and nausea.
- In case of contact with the product, danger of absorption through the skin, irritation of the skin/mucous membranes.

#### 12 ECOLOGICAL INFORMATION

- There is no data available on the preparation itself.
- Product is considered a water pollutant. Do not allow to enter drains or watercourses.

#### 13 DISPOSAL CONSIDERATIONS

- Do not allow to enter drains or watercourses.
- Dispose according to state and local applicable regulations.
- Empty containers are suitable for recycling.

#### 14 TRANSPORT INFORMATION

Not classified as dangerous for transport.

#### **15 REGULATORY INFORMATION**

Classification: Harmful, Xn

Flammable
Harmful by inhalation and contact with the skin
Harmful- may cause lung damage if swallowed
Keep out of reach of Children
Keep away from food, drink and animal feed stuffs
In case of fire, use water, fog, foam or powder-do not use water
If swallowed, do not induce vomiting but seek medical advice
Immediately

### 16 OTHER INFORMATION

Date if Issue : Version :	January 2025 January 2025 1 The information in this MSDS is based on the present state of our knowledge and on current national laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps in order to fulfill the demand laid down in the local rules and legislation. The information in this MSDS is meant as a description of the safety requirements of our product – it is not to be considered as a guarantee of the product's properties.

water jets